


















## Specifications

	<b>Voltage (V)</b>	180-250
Hz	<b>Frecuency (Hz)</b>	50-60
$\Phi$	<b>Power factor (Cos fi)</b>	$\geq 0,9$
	<b>Dimming</b>	
	<b>IP Tightness index</b>	20
	<b>IP installed Sealing rating</b>	40
	<b>Body color</b>	White
	<b>Diffuser Material</b>	PC-O
	<b>Body</b>	PC
K	<b>Colour temperature</b>	4000k
	<b>CRI Colour rendering index</b>	$\geq 80$
	<b>Opening angle</b>	120°
	<b>Measures</b>	125x125x30
	<b>Mounting position</b>	Recessed Ceiling
	<b>Operating temperature</b>	-5 +35
$\Phi_{LUM}$	<b>Flux (lm)</b>	563lm
	<b>Electrical isolation</b>	II
	<b>Lifetime</b>	50.000h
	<b>L70 B10&gt;(500&lt;I≤1.000mA)</b>	L70 >50.000h

## References




	W	K				
<b>387422</b>	6W	4000k	Blanco	100x100	125x125x30	Si

## Dimensions



## Photometry





## On request



Emergency kit 2hBajo el campo de configuración se añade solo este texto, en los 4 idiomas definidos



DALI-CTOUCH-Only 20W / 14W

## Accessories



**532211**

DRIVER KENTAU 6W  
1-10V



---

## Technologies

---



---

### CELLTECH



CELLTECH technology is a revolutionary feeding system for luminaires that allow the extraction and exchange of drivers that facilitates and simplifies the installation and mounting of luminaires. CELLTECH drivers are available without regulation and with 1-10V regulation and C-TOUCH.

---



## Solutions

S



### Pack CTE



#### description



Regulación por aporte de luz natural para cumplir con las exigencias del CTE. Control independiente de dos líneas de luminarias regulables DALI con sensor para instalar en luminaria o caja en superficie. Preconfigurado para poner en funcionamiento de manera sencilla.



### Pack AULAS



#### description



Regulación por aporte de luz natural y presencia stand alone. Sistema de control de iluminación para cumplir con las exigencias del CTE y optimizar el uso de la energía aprovechando el aporte de luz natural y apagado automático en caso de ausencia.



### Pack BLUETOOTH



#### description



Dispositivo que habilita el control de luminaria DALI a través de cualquier terminal Bluetooth® vía APP gratuita que nos ofrece el control de regulación de flujo, color, configuración de escenas, comportamiento vinculado a horarios.



### Driver DALI

#### description



## Info



For more information on the different solutions compatible with this luminaire, consult the following BIDI codes or on the web [www.grupoprilux.com](http://www.grupoprilux.com)